

Model 9800

Fiberglass & Steel Garage Door

R-7.6* Polyurethane Insulation

True Wood-Grain Look

Lifetime Limited Warranty

www.Wayne-Dalton.com



Door Construction

Model 9800 shown in horizontal design with clear glass.

- A rich, wood-grain-patterned fiberglass outer surface is bonded to a specially-engineered steel garage door using patented technology to combine the benefits of both materials.
- Fiberglass surface won't dent, crack, split or splinter like wood doors can.
- Resists expansion and contraction with temperature swings for long lasting finish.
- · Surface can't dent or rust like steel.
- The foamed-in-place polyurethane insulation is chemically bonded to each steel inner section, creating a structure with higher strength and rigidity.
- Integral hinges provide maximum strength between sections and add stability compared with ordinary vertical hinges.
 Hinges are factory-installed for proper alignment and smoother door operation.
- Windload models available.



- Heavy-gauge steel wraparound end caps trim-out door edges for better appearance, improved strength and to protect the foamed-in-place polyurethane insulation from damage.
- Horizontal struts on double-wide doors add rigidity for long life and smooth operation.
- Sound-absorbing insulation makes the door operate quieter and eliminates wind-rattling.
- SilentGlide[™] rollers with nylon tires and solid steel shafts provide years of smooth, quiet, dependable service.
- Pinch-resistant door panels can help prevent finger injuries caused by closing garage door.
- Interior panels are finished in white steel with powder-coated interior hardware.
- An insulated garage door improves your energy efficiency and makes your house more green.



Model 9800 Specifications

Panel Designs

- Proprietary Therma-Tru® AccuGrain™ molding technology captures the realism of premium hardwood door panels.
- Four panel patterns are available choose vertical, horizontal, horizontal V-groove or Sonoma stylings.
- 7' high doors are engineered with three section panels to reduce visual breaks. 8' high doors have four section panels.







Horizontal 7' style



Vertical 7' high



V-groove 8' high



Horizontal 8' high



Vertical 8' high



Sonoma 7' high



Sonoma 8' high

Safety & Security

- · Pinch-resistant design helps push fingers out of harms way if accidentally placed near a closing door.
- The Wayne-Dalton TorqueMaster® Plus is the first counterbalance system to seal springs safely within a steel tube. It contains an anti-drop features that eliminates the risk of door "free fall" and prevents potential serious injury.
- · Tamper-resistant safety bottom brackets help avoid possible injury by preventing inadvertent loosening while the counterbalance cables are still under tension.

Warranty

Model 9800 offers a Lifetime Limited Warranty against cracking, splitting, rusting through or section deterioration. See dealer for complete warranty details.



Windows

Glass Options







All glass types are available in vertical and horizontal raised panel and horizontal v-groove style doors. *Clear and Satin Etched Privacy Glass options are for Sonoma style doors.

Horizontal Windows





*Either vertical or horizontal raised panel window designs are available in horizontal

Window options for Sonoma Doors only













12 Window

*All window options shown are for a typical single car door. The number of windows will be doubled for double car doors

*Arched top sections are

Colors

Stained Finishes



Grav





Clay



Honduran

Mahogany



Red Oak



Energy Efficiency & Noise Control

- The R-7.6* polyurethane insulation helps block street noise and is CFC-11 free, so its environmentally friendly.
- · Bulb-shaped bottom seal remains flexible even in the cold to keep out bad weather.



* Insulation values have been calculated in compliance with Dasma TDS-163 industry standards.

Dealer Imprint Area